


DETALJ RAZUPIRANJA ROVA
MJ 1:20

PRESJEK



FAZA I							
DN - profil cijevi (mm)	300	400	500	600	700	900	1200
B - min.širina rova (mm)	0.90	1.20	1.30	1.40	1.60	1.80	2.10

NAPOMENA:
* - prema "Pravilniku o zaštiti na radu u građevinarstvu" (SL br. 42/68)

DETALJ RAZUPIRANJA ROVA			
INVESTITOR: ODVODNJA d.o.o. ZADAR	GLAVNI PROJEKTANT : mr.sc. Petar Marjan, dipl.ing.građ. 		DATUM IZRADE: siječanj, 2016.
ZAHVAT U PROSTORU: GRAVITACIJSKI KOLEKTORI ODVODNJE OTPADNIH VODA KOJI GRAVITIRAJU NA JAVNI SUSTAV ODVODNJE U ULICI JAKOVA ŠUBIĆA OD CEZANA I IZGRADNJA TRANSPORTNOG KOLEKTORA NA PODRUČJU MO VIŠNJK - FAZA I - GLAVNI I IZVEDBENI PROJEKT -	PROJEKTANTI: Đorđe Trbović, dipl.ing.građ.  Krešimir Nekić, dipl.ing.građ. 		BROJ PROJEKTA: 492/GP/1 MJERILO: 1: 20
 hidro consult		SURADNICI: Željka Veselić, dipl.ing.građ. Hrvoje Šalić, mag.ing.aedif.	LIST BROJ: 5.